

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"0989652"	EPO	OR	OFF	2005/10/07 14:10
L2	0	"0989652 A2"	EPO	OR	OFF	2005/10/07 14:10
L3	0	"0989652 A2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L4	0	"EP0989652 A2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L5	0	"EP0989652A2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L6	0	"EP0989652"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L7	0	"ep0989652"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L8	0	"ep0989652a2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L9	1	"09896852"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L10	0	09896852A2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:11
L11	1152658	"09896852" A2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:12

L12	1152657	"EP09896852" A2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:12
L13	0	"EP09896852"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:12
L14	0	"99118040"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:13
L15	12	"989685"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:13
L16	0	"989685" and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:13
L17	4	"989685" and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:15
L18	0	"989685" and data adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:15
L19	1	"989685" and code\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:39
L20	0	"989685" and sampli\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:39
L21	0	"989685" and sampling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:40

L22	0	"989685" and synchroniz\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:44
L23	258565	sampl\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:45
L24	136	sampl\$3 with time with data adj1 extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:45
L25	136	sampl\$3 with time with (data adj1 extract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:46
L26	8	sampl\$3 with time with (data adj1 extract\$3) with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:47
L27	1562	(data adj1 extract\$3) with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:47
L28	34	(data adj1 extract\$3) with sampling with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:49
L29	0	(timing adj1 estimator) and (sample adj1 hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:49
L30	0	(timing adj1 estimator) and (sample adj1 hold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:49
L31	43	(timing adj1 estimator) and comparator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:48

L32	5	"5761211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:50
L33	0	estimator with comparator with (sample adj1 hold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:51
L34	1	estimator with comparator with (sample with hold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:51
L35	46	(DC adj1 estimator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:52
L36	3	(DC adj1 estimator) with sample with hold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:54
L37	3	(DC adj1 estimat\$3) with sample with hold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:55
L38	208	( estimat\$3) with sample with hold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:55
L39	4	( estimat\$3) with sample with hold with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:59
L40	1199	compar\$3 with (bit adj1 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:59
L41	0	compar\$3 with (bit adj1 stream) with sample with hole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:59

L42	2	compar\$3 with (bit adj1 stream) with sample with hold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 16:01
L43	2815	compar\$3 with sample with hold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 16:01
L44	0	compar\$3 with sample with hold with (DC adj1 estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 16:02
S1	3116	375/316	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 18:01
S2	50	"4179696"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:07
S3	3	sampl\$3 with subchannel\$1 with filter\$3 with combin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:13
S4	0	sampl\$3 with subchannel\$1 with filter\$3 with combin\$3 and equalizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:14
S5	0	sampl\$3 and subchannel\$1 with filter\$3 with combin\$3 and equalizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:46
S8	68	sampl\$3 with filter\$3 with combin\$3 with equalizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:15
S9	24	sampl\$3 with filter\$3 with combin\$3 with equalizer with (subchannel\$1 or sub-channel\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:23

S10	150	crosstalk adj1 remov\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:23
S11	438	((crosstalk or noise) adj1 remov\$4) with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:23
S12	0	((crosstalk or noise) adj1 remov\$4) with sampl\$3 with subchannel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:25
S13	0	((crosstalk or noise) adj1 remov\$4) with sampl\$3 with sub-channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:25
S14	37	((crosstalk or noise) adj1 remov\$4) with sampl\$3 with channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:25
S17	27	(noise and signal) adj1 covariance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:50
S18	0	((noise and signal) adj1 covariance) with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:51
S19	3	((noise and signal) adj1 covariance) with filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:53
S20	0	((noise and signal) adj1 covariance) with (shorten\$3 adj1 filter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:53
S21	0	((noise and signal) adj1 covariance) with dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:54

S22	8	((noise and signal) adj1 covariance) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 14:10
S23	0	2002/0013164 and eigen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:20
S24	0	2002/0013164 and equaliz\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:20
S25	1	2002/0013164 and response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:35
S26	0	2002/0013164 and impulse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 15:20
S27	1	"20020064218"	US-PGPUB; USPAT	OR	OFF	2005/07/21 13:53
S28	0	"20020064218" and (quality adj1 value)	US-PGPUB; USPAT	OR	OFF	2005/07/21 13:53
S29	0	"20020064218" and (quality)	US-PGPUB; USPAT	OR	OFF	2005/07/21 13:55
S30	1	"20020012380" and quality	US-PGPUB; USPAT	OR	OFF	2005/07/21 13:55
S31	3541	sampl\$3 with FIR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:13
S32	0	sampl\$3 with FIR with (short\$5 adj1 impulse adj1 response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:14
S33	183	(short\$5 adj1 impulse adj1 response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:14



S34	67	(short\$5 adj1 impulse adj1 response) and FIR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:32
S35	153	((short\$5 adj1 impulse adj1 response) or sirf)and sampli\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:33
S36	12	((short\$5 adj1 impulse adj1 response) or sirf)and sampli\$3 and subchannel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:12
S37	1	"6631175" and FIR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:38
S38	56	"4179696"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:12
S39	2	"20020001355"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:12
S40	8	"5926455"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:44
S41	4	"6631175" and vector\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:45
S42	4	"6631175" and vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:55
S43	0	"6631175" and covariance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:03



S44	4	"6631175" and sampli\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 15:03
S45	403	covariance and eigen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:35
S46	200	covariance and eigen and filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:35
S47	17	covariance and eigen and filter\$1 and FIR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 09:22
S48	1	"20050175076" and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:18
S49	6381	adapt\$5 near3 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:19
S50	6381	(adapt\$5 near3 threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:19
S51	152	(adapt\$5 near3 threshold) with correlat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:19
S52	27	(adapt\$5 near3 threshold) with correlat\$3 with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:25
S53	0	(adapt\$5 near3 threshold) with (extract\$3 adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:26

S54	124	(adapt\$5 near3 threshold) and (extract\$3 adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:26
S55	66	(adapt\$5 near3 threshold) and (extract\$3 adj1 data) and correlat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:06
S56	2566	correlat\$3 and stor\$3 and (data adj1 extract\$3)	US-PGPUB	OR	OFF	2005/10/07 11:06
S57	0	".clm"	US-PGPUB	OR	OFF	2005/10/07 11:06
S58	423	correlat\$3 and stor\$3 and (data adj1 extract\$3).clm.	US-PGPUB	OR	OFF	2005/10/07 11:07
S59	622	correlat\$3 and stor\$3 and (data adj1 extract\$3) and compar\$3. clm.	US-PGPUB	OR	OFF	2005/10/07 11:07
S60	6	correlat\$3 and stor\$3 and (data adj1 extract\$3) and compar\$3 and restart\$3.clm.	US-PGPUB	OR	OFF	2005/10/07 14:10